

Technical data

		FME360 (Type 1)
Input voltage	V_{ac}	230
Power input	W	900
No-load speed (SPM)	min^{-1}	0 - 3,200
Max. blade length	mm	305
Weight	kg	3.5

L_{pA} (sound pressure) 92.5 dB(A), Uncertainty (K) 5 dB(A)
L_{WA} (sound power) 103.5 dB(A), Uncertainty (K) 5 dB(A)
Vibration total values (triax vector sum) according to EN62841:
Cutting board with original blade ($a_{h,B}$) 22.5 m/s^2 , uncertainty (K) 1.5 m/s^2
Cutting wooden beam with original blade ($a_{h,WB}$) 22.1 m/s^2 , uncertainty (K) 1.5 m/s^2

(original instructions)

EC declaration of conformity

MACHINERY DIRECTIVE



FME360 reciprocating saw

STANLEY FATMAX declares that these products described under "technical data" are in compliance with:
EN62841-1:2015 , EN62841-2-11:2016.

These products also comply with Directive 2006/42/EC, 2014/30/EU and 2011/65/EU. For more information, please contact STANLEY FATMAX at the following address or refer to the back of the manual.

The undersigned is responsible for compilation of the technical file and makes this declaration on behalf of STANLEY FATMAX .

A. P. Smith
Technical Director of Engineering
STANLEY FATMAX Europe, Egide Walschaertsstraat14-18,
2800 Mechelen, Belgium
15/05/2019