

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

Product group 1

for application as Thermal insulation products,

produced by or for

**Skamol A/S
Østergade 58-60
DK-7900 Nykøbing Mors**

and produced in the manufacturing plant (s) **CXO10001**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 14306:2009 : Thermal insulation products for building equipment and
EN 14306:2009 + A1:2013 industrial installations – Factory made calcium
silicate (CS) products - Specification

under system 1 are applied and that the product fulfils (products fulfil) the essential characteristic of
reaction to fire: Class A1.

The attached 2 annexes forms part of this certificate.

This certificate was issued on **2015-08-05** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonized standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

(This certificate supersedes the previous version of this certificate, issued 2014-08-01)



Merete Poulsen



Dan Bluhme

The certificate should only be reproduced extenso
– in extracts only with a written agreement with DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk



DANAK
Prod. Reg. Nr. 7023

Version 2014-07-30
Page 1 of 3

EXTENT

Type	Description
SKAMOPLUS, SKAMOPRO 225, SKAMOPRO 250, SKAMOPRO 300, SKAMOTEC 225, SKAMOTEC 250, SKAMOTEC 300, SUPERPRO 250, SUPERPRO 300	Calcium silicate boards with density of 225 - 300 kg/m ³ , maximum dimensions 2440 x 1220 mm, maximum thickness 100 mm

The certificate should only be reproduced extenso
– in extracts only with a written agreement with DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

**DANAK**
Prod. Reg. Nr. 7023

Version 2014-07-30
Page 2 of 3

TEST DOCUMENTATION

Accredited Laboratory	Report no.	Date
DBI	PF13386	2010-09-22
DBI	PC10253	2010-09-22
DBI	PHA10687	2015-06-04

TECHNICAL BASIS

Designation	Identification	Date
Product specification	SKAMOPUS SKAMOPRO 225, SKAMOPRO 250, SKAMOPRO 300 SKAMOTEC 225, SKAMOTEC 250, SKAMOTEC 300, SUPERPRO 250, SUPERPRO 300	2015-03-05 2015-06-01 2015-04-16
Supplementary information	R12.001, Rev.nr. 40 R12.002, Rev.nr. 36	2015-03-10 2015-06-01

The certificate should only be reproduced extenso
– in extracts only with a written agreement with DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

**DANAK**
Prod. Reg. Nr. 7023

Version 2014-07-30
Page 3 of 3